

# Rittal – The System.

Faster – better – everywhere.

## TS 8 freestanding enclosures Stainless steel – TS 9978.431

Date : Jan 21, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS 8 freestanding enclosures Stainless steel – TS 9978.431

created: 21.01.2017 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

Material:	Enclosure frame: Stainless steel 1.4301 (AISI 304), 1.5 mm Roof: Stainless steel 1.4301 (AISI 304), 1.5 mm, exterior brushed Door: Stainless steel 1.4301 (AISI 304), 2.0 mm, exterior brushed Rear panel: Stainless steel 1.4301 (AISI 304), 1.5 mm, exterior brushed Base: Stainless steel 1.4301 (AISI 304), 1.5 mm
Surface finish:	Enclosure frame and base plates: Uncoated Door, roof and rear panel: Exterior brushed, grain size 400 Mounting plate: Zinc-plated
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 4X
Supply includes:	Enclosure frame with door Roof Base, solid Rear panel, detachable Mounting plate Eyebolts 2 side panels 12 inch removable floor stands

## Product features

Dimensions:	Height: 2000 mm (79 ") Width: 1600 mm (63 ") Depth: 400 mm (16 ")
-------------	---

**Packaging unit:** 1 pc(s).

---

**EAN:** 86610

---

2017 © Rittal Corporation