

Catalog No. THHQL32025

Description: CIRCUIT BREAKER 3P 25A

UPC No 783164117684

Home > Circuit Breakers > Miniature Circuit Breakers > Q-Line Miniature Circuit Breakers

 $\label{eq:Qline} Q \ \text{line circuit breakers are one-inch wide per pole, compact, thermal-magnetic devices designed for } \\$ residential and commercial applications. The QL breakers are plug-in versions of the Q Line used for connection to load centers and lighting panels. All Q Line circuit breakers feature Quick-make / Quick-break mechanisms, common trip bars, and easy to spot trip indication to ensure safety and reliability. Q Line breakers are available in 1, 2, and 3 pole versions, can be ordered with auxiliary contact and shunt trip accessories, and can be ordered for use in HID applications. 2025 Amps 25 A

Descriptors		
Category	Q-Line Miniature Circuit Breakers	
Product Line	Q-Line (Plug-In)	
GO Schedule	R8	

Specifications	
Trip Style	Non-Interchangeable
Frame Type	Q-Line
Amperage	25 A
System Voltage	120 Vac 120/240 Vac 240 Vac
Poles	3
Trip Function	LI
Continuous Current Rated	Standard
120 Vac Interrupting Rating	22 KAIC
120/240 Vac Interrupting Rating	22 KAIC
240 Vac Interrupting Rating	22 KAIC
Suitable for Reverse Feed	Yes
Wire Range (Cu/Al)	14-8 kcmil / 12-8 kcmil
Long Time	Fixed
Instantaneous	Fixed
Protective Relays	No
Current Metering	No
Special Markings	HACR
GSA Compliance	No

Classifications	
UL File #	E11592



Created on: 03/22/2024

electrification.us.abb.com Created on: 03/22/2024

Publications

Title Publication No. Publication Type

Section 1 BuyLog: Load centers and circuit breakers

DET1023 Application and Technical

Guide includes product features, photos, product number selection guide, knockout drawings, wiring diagrams, accessories and options list. Only available on-line.

Additional Documentation: Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.

electrification.us.abb.com Created on: 03/22/2024