

# Rittal – The System.

Faster – better – everywhere.

## **Wallmounted enclosure stainless steel, with Roof Slope – WM 8018.695**

Date : Jan 19, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Wallmounted enclosure stainless steel, with Roof Slope – WM 8018.695 - WMS201612N4

created: 19.01.2017 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

<b>Material:</b>	Door: Stainless steel, all-round foamed-in PU seal Housing and door: Stainless steel 1.4301 (AISI 304) Mounting plate: Carbon steel, zinc-plated
------------------	--

<b>Surface finish:</b>	Brushed
------------------------	---------

<b>Protection category IP to IEC 60 529:</b>	IP 66
--	-------

<b>Protection category NEMA:</b>	NEMA 4X
--------------------------------------	---------

<b>Supply includes:</b>	Housing with door Left hand hinge Quarter turn latch with slotted head insert Mounting plate Wall mounting blind-nuts 20° overhanging slope top
-------------------------	--

## Product features

<b>Dimensions:</b>	Height: 495 mm (19 ") Width: 400 mm (16 ") Depth: 300 mm (12 ")
--------------------	---

<b>Material thickness::</b>	Housing: 1.5 mm (0.06 ") Door: 2 mm (0.08 ") Mounting plate: 1.5 mm (0.06 ")
-----------------------------	--

<b>Mounting plate:</b>	Height: 475 mm (19 ")
------------------------	-----------------------

Width: 354 mm (14 ")

<b>Packaging unit:</b>	1 pc(s).
<b>Weight/packaging unit:</b>	17 kg (37.5 lb.)
<b>EAN:</b>	84042

2017 © Rittal Corporation