

Rittal – The System.

Faster – better – everywhere.

Fitting G $\frac{3}{8}$ " – SK **3201.900**

Date : Jan 22, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Fitting G 3/8" – SK 3201.900

created: 22.01.2017 build on www.rittal.com/us-en



Product description

Description: The 3/8" female thread adapter can be used to create fixed piping on the air/water heat exchanger for both the inlet and return.

Suitable for Model No.:
3209....
3210....
3363....
3364....
3373....
3374....
3375....

Product features

Pressure setting range: 1 bar - 10 bar

Valve design: G3/8" internal thread

Packaging unit: 2 pc(s).

Weight/packaging unit: 0.13 kg (0.3 lb.)

EAN: 4028177669420

Customs tariff number: 83015000

ETIM 6.0: EC002620

ETIM 5.0: EC002620

eCl@ss 8.0/8.1:	27189261
eCl@ss 7.0/7.1:	27189269
eCl@ss 6.0/6.1:	27189269
eCl@ss 5.1/5.1.4:	27180792

2017 © Rittal Corporation