

Catalog No. THQL21WY20

Description: CIRCUIT BREAKER 2P 20A 120/240V 10KA WY

UPC No 783164161632

Home > Circuit Breakers > Residential Circuit Breakers > Q Line

A Molded Case Switch Breaker Is used to protect the circuit from being overwhelmed with large amounts of current. This could result in the breaker short circuiting or overloading. The THQL21WY20 breaker features 2 poles, an ampere rating of 20 A, an interrupting rating of 10kAlC, and a voltage rating of 240 V.

Descriptors		
Category	Q Line	
Product Line	Q-Line (Plug-In)	
GO Schedule	R5	

Specifications		
Specialty Breakers	Molded Case Switch	
Interrupting Capacity Rating	10 kAIC	
Voltage	120/240 V	
Trip Style	Non-Interchangeable	
Frame Type	Q-Line	
Amperage	20 A	
System Voltage	120 Vac 120/240 Vac	
Poles	2	
Trip Function	LI	
Continuous Current Rated	Standard	
120 Vac Interrupting Rating	10 KAIC	
120/240 Vac Interrupting Rating	10 KAIC	
Suitable for Reverse Feed	Yes	
Long Time	No	
Protective Relays	No	
Current Metering	No	
GSA Compliance	Yes	

Classifications	
UL File #	E11592



Created on: 03/22/2024

Created on: 03/22/2024

electrification.us.abb.com Created on: 03/22/2024

Catalog No. THQL21WY20

Publications

Title Publication No. Publication Type

Section 1 BuyLog: Load centers and circuit breakers

Guide includes product features, photos, product number selection guide, knockout drawings, wiring diagrams, accessories and options list. Only available on-line.

DET1023

Application and Technical

Additional Documentation: Visit our Publication Library to find technical documentation, time current curves, CSI Specifications and promotional literature.

electrification.us.abb.com Created on: 03/22/2024