

Rittal – The System.

Faster – better – everywhere.

Self-tapping screws – SZ 2489.000

Date : Jan 22, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Self-tapping screws – SZ 2489.000

created: 22.01.2017 build on www.rittal.com/us-en



Product description

Description: For the round holes 4.5 mm diameter in the enclosure section, punched rails and punched sections without mounting flanges.

Applications: For Ø 4.5 mm round holes in the enclosure profile, punched rails and punched section without mounting flange

Product features

Version: Pan-head screws, posidrive

Thread: Type: M5
Length: 12 mm (0.47 ")

Packaging unit: 500 pc(s).

Weight/packaging unit: 1.5 kg (3.3 lb.)

EAN: 4028177025080

Customs tariff number: 73181900

ETIM 6.0: EC000891

ETIM 5.0: EC000891

eCl@ss 8.0/8.1: 23110117

eCl@ss 7.0/7.1:	27189234
------------------------	----------

eCl@ss 6.0/6.1:	27189234
------------------------	----------

eCl@ss 5.1/5.1.4:	27189234
--------------------------	----------

2017 © Rittal Corporation