# EGB36025

Mini circuit breaker, E-Frame, 25A, 3 pole, 600Y/347 VAC, 65 kA max, bolt on



Main	
Range of Product	125 A Frame EDB-EGB-EJB
Product or Component Type	Circuit-breaker
Device short name	EGB
Module type	E-Frame
Trip unit rating	875 A

#### Complementary

Complementary	
Line Rated Current	25 A
Maximum operating voltage	600Y/347 V AC
AWG gauge	AWG 12AWG 6 aluminium AWG 14AWG 6 copper
Breaking capacity	18 kA 600Y/347 V AC
Circuit breaker application	HACR rated
Electrical connection	Lugs aluminium
Holding Current	270 A
Local signalling	Trip indicator
Mounting Mode	Bolt-on
Number of poles	3
Number of spaces	3
Number of spaces required	3
Product destination	NF panelboard
Protection Type	Overload Short-circuit
Trip unit technology	Thermal-magnetic
Breaking capacity code	G
Tightening torque	30.09 lbf.in (3.4 N.m) 0.000.02 in² (2.516 mm²) (AWG 14AWG 6)
Height	5.66 in (143.76 mm)
Width	2.94 in (74.68 mm)
Depth	4.05 in (102.87 mm)
Net Weight	4 lb(US) (1.81 kg)

#### Environment

Product Certifications	cULus
Ambient Air Temperature for Operation	104 °F (40 °C)

#### Ordering and shipping details

00936-EGB CIRCUIT BREAKERS
DE2
785901239154
Yes
MX

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.80 in (12.192 cm)
Package 1 Width	6.20 in (15.748 cm)
Package 1 Length	9.90 in (25.146 cm)
Package 1 Weight	3.64 lb(US) (1.65 kg)

### Offer Sustainability

REACh Declaration
Pro-active compliance (Product out of EU RoHS legal scope)
Yes
China RoHS Declaration
€Yes

### Contractual warranty

Warranty	18 months