# CQO140M200PRB

Loadcentre, QO, 1 phase, 40 spaces, 80 circuits, 200A main breaker, PoN, NEMA3R, CSA





#### Main

QO	
Load Center	
Weatherproof enclosure	
	Load Center

#### Complementary

Complementary		
PoN Convertible Mains (lugs)	PoN Convertible Mains (breaker)	
Rated Current	200 A	
Number of Spaces	40	
Max Short Circuit Current Rating	22 kA	
Maximum Number of Single Pole Circuits	80	
Number of Phases	1 phase	
Voltage Rating	240 V AC	
Height	33.78 in (858 mm)	
Width	14.25 in (362 mm)	
Depth	3.74 in (95 mm)	
	<del></del>	

#### Environment

Enclosure Rating	NEMA 3R outdoor
Ambient Air Temperature for Operation	23 °F (-5 °C) 104 °F (40 °C)
Product Certifications	CSA

## Ordering and shipping details

Category	00156-CANADIAN LOAD CTRS
Discount Schedule	DE3A
GTIN	785901971924
Returnability	Yes
Country of origin	US

## **Packing Units**

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	19.75 in (50.165 cm)	
Package 1 Width	5.25 in (13.335 cm)	
Package 1 Length	15.81 in (40.162 cm)	
Package 1 Weight	25.00 lb(US) (11.34 kg)	

# Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EEU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	₫Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations