Rittal - The System.

Faster – better – everywhere.

Side panels, screwfastened, carbon steel for TS – TS 9964.893

Date : Jan 22, 2017



NCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Side panels, screw-fastened, carbon steel for TS – TS 9964.893

created: 22.01.2017 build on www.rittal.com/us-en





		_	_	_
Prod	uct /	daer	rint	ion
FIUU	uci	ucsi	,ı IVI	IIOII

Benefits: Automatic potential equalization and higher EMC protection thanks to enclosure panel holders

with grounding insert

Easy positioning with the location aid Grounding bolt with contact surface

Material: Carbon steel, 1.5 mm

Surface finish: dipcoat-primed, powder-coated on the outside

Color: **RAL 7035**

Protection category IP to IEC 60 529:

IP 55

Supply includes: Assembly components

Enclosure panel holders may optionally be fitted from the inside or outside of the enclosure. Note:

Area available for population: External dimension - 100 mm

Product features

Suitable for: Enclosure type: TS

Enclosure type: TS IT Height: 2200 mm (87 ") Depth: 500 mm (20 ")

Packaging unit: 2 pc(s).

© Rittal 2017

Weight/packaging unit:

31.2 kg (68.8 lb.)

EAN:

87179

2017 © Rittal Corporation

© Rittal 2017