

Rittal – The System.

Faster – better – everywhere.

Lock inserts – SZ 2526.000

Date : Jan 22, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Lock inserts – SZ 2526.000

created: 22.01.2017 build on www.rittal.com/us-en



Product description

Material: Die-cast zinc

Product features

Version: C

Suitable for:
Enclosure type: AE with cam, stainless steel
Enclosure type: Basic AE with cam, stainless steel
Enclosure type: One-piece console, console cover, stainless steel

Dimensions: Length: 41 mm (1.6 ")

Lock Insert: 8 mm square

Packaging unit: 1 pc(s).

Weight/packaging unit: 0.02 kg (0 lb.)

EAN: 4028177026575

Customs tariff number: 83015000

ETIM 6.0: EC000743

ETIM 5.0: EC000743

eCl@ss 8.0/8.1: 27409218

eCl@ss 7.0/7.1:	27409218
eCl@ss 6.0/6.1:	27409218
eCl@ss 5.1/5.1.4:	27189256
Approvals	
Certificates:	EAC

2017 © Rittal Corporation