NQM342L2CAS

Panelboard interior, NQ, main lugs, 225A, Cu bus, 42 pole spaces, 3 phase, 4 wire, 240 VAC, 48 VDC, APC, short





Main

Panelboard Type	Main lugs
Product or Component Type	Interiors
Branch Circuit Breaker Type	QOB QOB-VH QHB
Busbar Material	Copper

Complementary

Complementary	
Number of spaces	42
Line Rated Current	250 A
[lu] rated interrupted current	10 KA
	22 KA
	65 kA
Wiring configuration	4-wire
Number of Phases	3 phase
Voltage Rating	240 V AC
	48 V DC
Connections - terminals	Lug line AWG 6350 kcmil aluminium
	Lug neutral AWG 6350 kcmil aluminium
Tightening torque	40.0150.01 Lbf.In (4.525.65 N.m) 0.020.10 in² (13.3067.43 mm²) (AWG 6AWG 2/0)
	100.01 Lbf.ln (11.3 N.m) 0.020.10 in² (13.3067.43 mm²) (AWG 6AWG 2/0)
	274.99 Lbf.ln (31.07 N.m) 0.020.27 in ² (13.30177.3 mm ²) (AWG 6350 kcmil)
	274.99 Lbf.ln (31.07 N.m) 0.020.20 in² (13.30126.7 mm²) (AWG 6250
	kcmil)
	274.99 lbf.in (31.07 N.m) 0.170.24 in² (107.2152 mm²) (AWG 4300 kcmil)
Height	30 in (762.00 mm)

Ordering and shipping details

Category	08336-NQ OEM INTERIORS
Discount Schedule	PE1A
GTIN	785901219194
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	6.30 in (16.0 cm)	
Package 1 Width	14.02 in (35.6 cm)	
Package 1 Length	38.11 in (96.8 cm)	
Package 1 Weight	13.27 lb(US) (6.02 kg)	

Offer Sustainability

Sustainable offer status	Green Premium product	
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defect or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
REACh Regulation	☑ REACh Declaration	
REACh free of SVHC	Yes	
EU RoHS Directive	Compliant with Exemptions	
Toxic heavy metal free	Yes	
Mercury free	Yes	
China RoHS Regulation	☑ China RoHS Declaration	
RoHS exemption information	₫Yes	
Environmental Disclosure	Product Environmental Profile	
Circularity Profile	No need of specific recycling operations	