

nut keeper kit 3 units accessory for: 3VA6 150/250



Model	
product brand name	SETRON
product designation	accessories
design of the product	nut keeper kit 3 units
accessories	Nut keeper kit
Connections according IEC	
thickness / of the busbar / maximum	8 mm
width / of the busbar / maximum	25 mm
Connections according UL	
width / of the busbar / maximum	1 in
thickness / of the busbar / minimum	0 in
thickness / of the busbar / maximum	0.3 in
Further information	

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9243-0QA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9243-0QA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VA9243-0QA00](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9243-0QA00)

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



---

last modified:

8/19/2022 

