Rittal - The System.

Faster – better – everywhere.

Cable duct for TS IT, TE – DK 5502.105

Date: Jan 22, 2017



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Cable duct for TS IT, TE - DK 5502.105

created: 22.01.2017 build on www.rittal.com/us-en



	4 .	
Product	t	APINTIAN.
PIOUIU.	1 (162)	

Description: The cable duct has a removable cable cover hinged on both sides and can also be screw-

fastened.

Benefits: Easy mounting with tool-free quick-release fastening

High packing density due to U-based cable routing

Suitable for back-to-back baying

Material: Carbon steel

Plastic to UL 94-V0

Color: RAL 9005

Supply includes: Cover and assembly components

4 cable retainers for spare cables

Product features

Suitable for: Enclosure type: TS IT

Enclosure type: TE Height: 2000 mm (79 ") Width: 800 mm (31 ")

Height units: 36 U

Packaging unit: 1 pc(s).

Weight/packaging 7.42 kg (16.4 lb.)

unit:

EAN: 4028177679283

© Rittal 2017

Customs tariff number:	73269098
ETIM 6.0:	EC000012
ETIM 5.0:	EC000012
e Cl@ss 8.0/8.1:	27400703
eCl@ss 7.0/7.1:	27400703
eCl@ss 6.0/6.1:	27400703
eCl@ss 5.1/5.1.4:	27189224

2017 © Rittal Corporation

© Rittal 2017 2