

# Rittal – The System.

Faster – better – everywhere.

## Partial Doors for TS – SV 9672.156

Date : Jan 22, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Partial Doors for TS – SV 9672.156

created: 22.01.2017 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Description:** Suitable for TS enclosures instead of a door or rear panel. The partial doors can be combined as required. A front trim panel is required at the top and bottom. Door may be optionally hinged on the right or left. In doors without a viewing window (height 600 – 1000 mm), installation of the monitor frame SZ 2305.000 is possible. Standard double-bit lock insert may be exchanged for lock inserts, type F, and for comfort handle in systems 600 mm or more high.

**Material:** Carbon steel, 2 mm

**Surface finish:** Textured paint

**Color:** RAL 7035

**Protection category  
IP to IEC 60 529:** IP 54 for a completed enclosure

**Supply includes:** Cross member  
Hinges  
Lock components  
Assembly components

## Product features

**Suitable for:** Width: 400 mm (16 ")

**Dimensions:** Height: 1600 mm (63 ")  
Width: 400 mm (16 ")

**Packaging unit:** 1 pc(s).

**Weight/packaging** 13 kg (28.7 lb.)

<b>unit:</b>	
<b>EAN:</b>	4028177697652
<b>Customs tariff number:</b>	94039010
<b>ETIM 6.0:</b>	EC000747
<b>ETIM 5.0:</b>	EC000747
<b>eCl@ss 8.0/8.1:</b>	27182204
<b>eCl@ss 7.0/7.1:</b>	27182290
<b>eCl@ss 6.0/6.1:</b>	27182290
<b>eCl@ss 5.1/5.1.4:</b>	27189217

2017 © Rittal Corporation