

Rittal – The System.

Faster – better – everywhere.

E-Cu Busbars with integral holes – SV 9661.300

Date : Jan 22, 2017

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



E-Cu Busbars with integral holes – SV 9661.300

created: 22.01.2017 build on www.rittal.com/us-en



Product description

Description: Suitable for direct installation in enclosures, busbar supports, 9340.000/.010, 9340.004, 9342.014, 3052.000 and 3073.000. PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.

Material: E-Cu

Product features

Suitable for: Width: 1000 mm (39 ")

Dimensions: Length: 965 mm (38 ")

Cross-section: Flat copper bar thickness: 30 mm (1.2 ")
Flat copper bar width: 10 mm (0.39 ")

Diameter of hole: 11 mm (0.43 ")

Packaging unit: 2 pc(s).

Weight/packaging unit: 5.24 kg (11.5 lb.)

EAN: 4028177546721

Customs tariff number: 74071000

ETIM 6.0: EC000329

ETIM 5.0: EC000329

eCl@ss 8.0/8.1: 27400605

eCl@ss 7.0/7.1: 27400605

eCl@ss 6.0/6.1: 27400605

eCl@ss 5.1/5.1.4: 27189215

Approvals

Approvals: UL + C-UL

2017 © Rittal Corporation