## Rittal - The System.

Faster – better – everywhere.

PC Enclosure Systems – PC 5366.200

Date : Jan 19, 2017



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

## PC Enclosure Systems – PC 5366.200 created: 19.01.2017 build on www.rittal.com/us-en



Product description	
Description:	Secure accommodation of all PC components, from monitors, to PCs, to keyboards. For ultimate ease of operation in a contemporary design. Complete protection from humidity and dirt, temperature fluctuations and unauthorized access.
Material:	Housing, door, rear door: Carbon steel Handles, decorative trim panels: Plastic Door trim panels: Aluminum Viewing window: Single-pane safety glass
Surface finish:	Housing and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting compartment, support: powder-coated
Color:	Housing, door, decorative trim panels: RAL 7035 Handle: Similar to RAL 9006 Central door section: RAL 7015
Protection category IP to IEC 60 529:	IP 55
Protection category NEMA:	NEMA 12
Supply includes:	Housing, door, rear door Glazed door, top Desk Section Component shelf

## **Product features**

Base material:

Version: with glazed door at the top, desk section and component shelf

Carbon steel

© Rittal 2017 1

Dimensions:	Height: 1600 mm (63 ") Width: 600 mm (24 ") Depth: 636 mm (25 ")
Keyboard dimensions:	Height (max.): 40 mm (1.6 ") Width (max.): 540 mm (21 ") Depth (max.): 175 mm (6.9 ")
Packaging unit:	1 pc(s).
Weight/packaging unit:	95.5 kg (210.5 lb.)
EAN:	4028177693234
Customs tariff number:	94032080
ETIM 6.0:	EC002502
ETIM 5.0:	EC002502
e CI@ss 8.0/8.1:	27180501
eCl@ss 7.0/7.1:	27180501
eCl@ss 6.0/6.1:	27180501
e CI@ss 5.1/5.1.4:	27180501
Approvals	
Approvals:	UL + C-UL
Declarations:	Declaration of conformity

2017 © Rittal Corporation

© Rittal 2017 2